

CL400 Configurations


Selecting your CL400 Magnetic hardware is easy:

1. Select the functionality.
2. Select the finish.
3. Select the door thickness.
4. Select the handing (if required).


For example: If you require a CL400 Passage (non-latching) in Oil Rubbed Bronze for a door thickness of 40mm the code will be **CL400A0226**.



PASSAGE

Blank/Blank
(Non-latching)



Blank/Blank
(Magnetic latching)




Function	Finish	Door Thickness		
		34-40mm	40-46mm	46-52mm
Blank/Blank (Non-latching) 	Bright Chrome	CL400A0025	CL400A0026	CL400A0027
	Satin Chrome	CL400A0125	CL400A0126	CL400A0127
	ORB	CL400A0225	CL400A0226	CL400A0227
	Satin Nickel	CL400A0325	CL400A0326	CL400A0327
	Matte Black	CL400A0425	CL400A0426	CL400A0427
	Matte Chrome	CL400A0525	CL400A0526	CL400A0527
Blank/Blank (Mag latching) 	Bright Chrome	CL400A0028	CL400A0029	CL400A0030
	Satin Chrome	CL400A0128	CL400A0129	CL400A0130
	ORB	CL400A0228	CL400A0229	CL400A0230
	Satin Nickel	CL400A0328	CL400A0329	CL400A0330
	Matte Black	CL400A0428	CL400A0429	CL400A0430
	Matte Chrome	CL400A0528	CL400A0529	CL400A0530

CL400 Configurations

Selecting your CL400 Magnetic hardware is easy:


1. Select the functionality.
2. Select the finish.
3. Select the door thickness.
4. Select the handing (if required).

For example: If you require a CL400 Privacy LH Snib/Emergency RH in Oil Rubbed Bronze for a door thickness of 40mm the code will be **CL400B0234**.


Handing Configuration																	
Handing must be determined at time of manufacture and cannot be altered on site. Careful selection of handing options is required at time of order. See diagram for determining handing of functions.																	
<table border="0"> <tr> <td style="text-align: center;">LH</td> <td style="text-align: center;">RH</td> </tr> <tr> <td style="text-align: center;"> <table border="0"> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> </table> </td> <td style="text-align: center;"> <table border="0"> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> </table> </td> </tr> <tr> <td style="text-align: center;">Snib</td> <td style="text-align: center;">Snib</td> </tr> <tr> <td style="text-align: center;">Blank</td> <td style="text-align: center;">Blank</td> </tr> <tr> <td style="text-align: center;">Emerg.</td> <td style="text-align: center;">Emerg.</td> </tr> </table>	LH	RH	<table border="0"> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> </table>				<table border="0"> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> </table>				Snib	Snib	Blank	Blank	Emerg.	Emerg.	Stand looking into the cavity pocket as shown 
LH	RH																
<table border="0"> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> </table>				<table border="0"> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> <tr><td style="width: 15px; height: 15px; background-color: #ccc;"></td></tr> </table>													
Snib	Snib																
Blank	Blank																
Emerg.	Emerg.																

PRIVACY


Snib/Snib




Blank/Snib RH




LH Snib/Blank








LH Emerg/Snib RH



LH Snib/Emerg RH




Function	Finish	Door Thickness		
		34-40mm	40-46mm	46-52mm
	Bright Chrome	CL400B0025	CL400B0030	CL400B0035
	Satin Chrome	CL400B0125	CL400B0130	CL400B0135
	ORB	CL400B0225	CL400B0230	CL400B0235
	Satin Nickel	CL400B0325	CL400B0330	CL400B0335
	Matte Black	CL400B0425	CL400B0430	CL400B0435
	Matte Chrome	CL400B0525	CL400B0530	CL400B0535
	Bright Chrome	CL400B0026	CL400B0031	CL400B0036
	Satin Chrome	CL400B0126	CL400B0131	CL400B0136
	ORB	CL400B0226	CL400B0231	CL400B0236
	Satin Nickel	CL400B0326	CL400B0331	CL400B0336
	Matte Black	CL400B0426	CL400B0431	CL400B0436
	Matte Chrome	CL400B0526	CL400B0531	CL400B0536
	Bright Chrome	CL400B0027	CL400B0032	CL400B0037
	Satin Chrome	CL400B0127	CL400B0132	CL400B0137
	ORB	CL400B0227	CL400B0232	CL400B0237
	Satin Nickel	CL400B0327	CL400B0332	CL400B0337
	Matte Black	CL400B0427	CL400B0432	CL400B0437
	Matte Chrome	CL400B0527	CL400B0532	CL400B0537
	Bright Chrome	CL400B0028	CL400B0033	CL400B0038
	Satin Chrome	CL400B0128	CL400B0133	CL400B0138
	ORB	CL400B0228	CL400B0233	CL400B0238
	Satin Nickel	CL400B0328	CL400B0333	CL400B0338
	Matte Black	CL400B0428	CL400B0433	CL400B0438
	Matte Chrome	CL400B0528	CL400B0533	CL400B0538
	Bright Chrome	CL400B0029	CL400B0034	CL400B0039
	Satin Chrome	CL400B0129	CL400B0134	CL400B0139
	ORB	CL400B0229	CL400B0234	CL400B0239
	Satin Nickel	CL400B0329	CL400B0334	CL400B0339
	Matte Black	CL400B0429	CL400B0434	CL400B0439
	Matte Chrome	CL400B0529	CL400B0534	CL400B0539

CL400 Configurations

Selecting your CL400 Magnetic hardware is easy:


1. Select the functionality.
2. Select the finish.
3. Select the door thickness.
4. Select the handing (if required).

For example: If you require a CL400 Privacy with Indicator LH Snib/Emergency RH in Satin Nickel for a door thickness of 40mm the code will be **CL400E0334**.


Handing Configuration											
Handing must be determined at time of manufacture and cannot be altered on site. Careful selection of handing options is required at time of order. See diagram for determining handing of functions.											
<table border="0"> <tr> <td style="text-align: center;">LH</td> <td style="text-align: center;">RH</td> </tr> <tr> <td style="text-align: center;"> <table border="1"> <tr><td> </td></tr> <tr><td>Snib</td></tr> <tr><td>Emerg.</td></tr> </table> </td> <td style="text-align: center;"> <table border="1"> <tr><td> </td></tr> <tr><td>Snib</td></tr> <tr><td>Emerg.</td></tr> </table> </td> </tr> </table>	LH	RH	<table border="1"> <tr><td> </td></tr> <tr><td>Snib</td></tr> <tr><td>Emerg.</td></tr> </table>		Snib	Emerg.	<table border="1"> <tr><td> </td></tr> <tr><td>Snib</td></tr> <tr><td>Emerg.</td></tr> </table>		Snib	Emerg.	Stand looking into the cavity pocket as shown 
LH	RH										
<table border="1"> <tr><td> </td></tr> <tr><td>Snib</td></tr> <tr><td>Emerg.</td></tr> </table>		Snib	Emerg.	<table border="1"> <tr><td> </td></tr> <tr><td>Snib</td></tr> <tr><td>Emerg.</td></tr> </table>		Snib	Emerg.				
Snib											
Emerg.											
Snib											
Emerg.											



PRIVACY with INDICATOR

LH Emerg/Snib RH



LH Snib/Emerg RH



Function	Finish	Door Thickness	
		34-40mm	40-46mm
LH Emerg/Snib RH 	Bright Chrome	CL400E0028	CL400E0033
	Satin Chrome	CL400E0128	CL400E0133
	Satin Nickel	CL400E0328	CL400E0333
	Matte Chrome	CL400E0528	CL400E0533
LH Snib/Emerg RH 	Bright Chrome	CL400E0029	CL400E0034
	Satin Chrome	CL400E0129	CL400E0134
	Satin Nickel	CL400E0329	CL400E0334
	Matte Chrome	CL400E0529	CL400E0534



CL400 Configurations


Selecting your CL400 Magnetic hardware is easy:

1. Select the functionality.
2. Select the finish.
3. Select the door thickness.
4. Select the handing (if required).

For example: If you require a CL400 LH Key/Snib RH in Oil Rubbed Bronze for a door thickness of 40mm the code will be **CL400C0238**.


Handing Configuration

Handing must be determined at time of manufacture and cannot be altered on site. Careful selection of handing options is required at time of order. See diagram for determining handing of functions.




KEY LOCKING


Blank/Key RH




LH Key/Blank




LH Snib/Key RH



LH Key/Snib RH



Key/Key




Function	Finish	Door Thickness		
		34-40mm	40-46mm	46-52mm
 Blank/Key RH	Bright Chrome	CL400C0025	CL400C0035	CL400C0045
	Satin Chrome	CL400C0125	CL400C0135	CL400C0145
	ORB	CL400C0225	CL400C0235	CL400C0245
	Satin Nickel	CL400C0325	CL400C0335	CL400C0345
	Matte Black	CL400C0425	CL400C0435	CL400C0445
	Matte Chrome	CL400C0525	CL400C0535	CL400C0545
 LH Key/Blank	Bright Chrome	CL400C0026	CL400C0036	CL400C0046
	Satin Chrome	CL400C0126	CL400C0136	CL400C0146
	ORB	CL400C0226	CL400C0236	CL400C0246
	Satin Nickel	CL400C0326	CL400C0336	CL400C0346
	Matte Black	CL400C0426	CL400C0436	CL400C0446
	Matte Chrome	CL400C0526	CL400C0536	CL400C0546
 LH Snib/Key RH	Bright Chrome	CL400C0027	CL400C0037	CL400C0047
	Satin Chrome	CL400C0127	CL400C0137	CL400C0147
	ORB	CL400C0227	CL400C0237	CL400C0247
	Satin Nickel	CL400C0327	CL400C0337	CL400C0347
	Matte Black	CL400C0427	CL400C0437	CL400C0447
	Matte Chrome	CL400C0527	CL400C0537	CL400C0547
 LH Key/Snib RH	Bright Chrome	CL400C0028	CL400C0038	CL400C0048
	Satin Chrome	CL400C0128	CL400C0138	CL400C0148
	ORB	CL400C0228	CL400C0238	CL400C0248
	Satin Nickel	CL400C0328	CL400C0338	CL400C0348
	Matte Black	CL400C0428	CL400C0438	CL400C0448
	Matte Chrome	CL400C0528	CL400C0538	CL400C0548
 Key/Key	Bright Chrome	CL400C0029	CL400C0039	CL400C0049
	Satin Chrome	CL400C0129	CL400C0139	CL400C0149
	ORB	CL400C0229	CL400C0239	CL400C0249
	Satin Nickel	CL400C0329	CL400C0339	CL400C0349
	Matte Black	CL400C0429	CL400C0439	CL400C0449
	Matte Chrome	CL400C0529	CL400C0539	CL400C0549

CL400 Configurations

Selecting your CL400 Magnetic hardware is easy:


1. Select the functionality.
2. Select the finish.
3. Select the door thickness.
4. A matching Bi-Parting mate will automatically be supplied to suit your selection.

For example: If you require a CL400 Bi-Parting Passage (non-latching) in Oil Rubbed Bronze for a door thickness of 40mm the code will be **CL400D0226**


Handing Configuration: Bi-Parting Privacy Snib One Side and Key One Side handles are supplied with the Snib or Key on the right hand side. If you require them on the left, swap with the Bi-Parting mate on site.											
<table border="1"> <tr><td> </td><td>Snib both sides</td></tr> <tr><td> </td><td>Snib one side</td></tr> <tr><td> </td><td>Snib/Emergency</td></tr> <tr><td> </td><td>Key both sides</td></tr> <tr><td> </td><td>Key one side</td></tr> </table>		Snib both sides		Snib one side		Snib/Emergency		Key both sides		Key one side	<p>Stand looking into the pocket as shown</p> 
	Snib both sides										
	Snib one side										
	Snib/Emergency										
	Key both sides										
	Key one side										

BI-PARTING - Passage



Passage
(non latching)





Passage
(Magnetic latching)



(Bi-Parting Mate)



Function	Finish	Door Thickness (EACH CODE BELOW INCLUDES 1 PAIR OF HANDLES)		
		34-40mm	40-46mm	46-52mm
Passage (non latching) 	Bright Chrome	CL400D0025	CL400D0026	CL400D0027
	Satin Chrome	CL400D0125	CL400D0126	CL400D0127
	ORB	CL400D0225	CL400D0226	CL400D0227
	Satin Nickel	CL400D0325	CL400D0326	CL400D0327
	Matte Black	CL400D0425	CL400D0426	CL400D0427
	Matte Chrome	CL400D0525	CL400D0526	CL400D0527
Passage (Mag latching) 	Bright Chrome	CL400D0028	CL400D0029	CL400D0030
	Satin Chrome	CL400D0128	CL400D0129	CL400D0130
	ORB	CL400D0228	CL400D0229	CL400D0230
	Satin Nickel	CL400D0328	CL400D0329	CL400D0330
	Matte Black	CL400D0428	CL400D0429	CL400D0430
	Matte Chrome	CL400D0528	CL400D0529	CL400D0530


CL400 Configurations

Selecting your CL400 Magnetic hardware is easy:

1. Select the functionality.
2. Select the finish.
3. Select the door thickness.
4. A matching Bi-Parting mate will automatically be supplied to suit your selection.


For example: If you require a CL400 Bi-Parting Privacy Snib one Side in Oil Rubbed Bronze for a door thickness of 40mm the code will be **CL400D0241**

Handing Configuration: Bi-Parting Privacy Snib One Side and Key
One Side handles are supplied with the Snib or Key on the right hand side.
If you require them on the left, swap with the Bi-Parting mate on site.


<input type="checkbox"/>	Snib both sides	Stand looking into the pocket as shown 
<input type="checkbox"/>	Snib one side	
<input type="checkbox"/>	Snib/Emergency	
<input type="checkbox"/>	Key both sides	
<input type="checkbox"/>	Key one side	

BI-PARTING - Privacy


Privacy
(Snib/Snib)






Privacy
(Snib one side)






Privacy
(Emerg/Snib)



(Bi-Parting Mate)



Function	Finish	Door Thickness (EACH CODE BELOW INCLUDES 1 PAIR OF HANDLES)		
		34-40mm	40-46mm	46-52mm
Privacy Snib/Snib 	Bright Chrome	CL400D0035	CL400D0040	CL400D0045
	Satin Chrome	CL400D0135	CL400D0140	CL400D0145
	ORB	CL400D0235	CL400D0240	CL400D0245
	Satin Nickel	CL400D0335	CL400D0340	CL400D0345
	Matte Black	CL400D0435	CL400D0440	CL400D0445
	Matte Chrome	CL400D0535	CL400D0540	CL400D0545
Privacy Blank/Snib 	Bright Chrome	CL400D0036	CL400D0041	CL400D0046
	Satin Chrome	CL400D0136	CL400D0141	CL400D0146
	ORB	CL400D0236	CL400D0241	CL400D0246
	Satin Nickel	CL400D0336	CL400D0341	CL400D0346
	Matte Black	CL400D0436	CL400D0441	CL400D0446
	Matte Chrome	CL400D0536	CL400D0541	CL400D0546
Privacy Emerg/Snib 	Bright Chrome	CL400D0038	CL400D0043	CL400D0048
	Satin Chrome	CL400D0138	CL400D0143	CL400D0148
	ORB	CL400D0238	CL400D0243	CL400D0248
	Satin Nickel	CL400D0338	CL400D0343	CL400D0348
	Matte Black	CL400D0438	CL400D0443	CL400D0448
	Matte Chrome	CL400D0538	CL400D0543	CL400D0548


CL400 Configurations

Selecting your CL400 Magnetic hardware is easy:


1. Select the functionality.
2. Select the finish.
3. Select the door thickness.
4. A matching Bi-Parting mate will automatically be supplied to suit your selection.




For example: If you require a CL400 Bi-Parting Snib/Key in Oil Rubbed Bronze for a door thickness of 40mm the code will be **CL400D0262**

Handing Configuration: Bi-Parting Privacy Snib One Side and Key One Side handles are supplied with the Snib or Key on the right hand side. If you require them on the left, swap with the Bi-Parting mate on site.



BI-PARTING - Key Locking



Function	Finish	Door Thickness (EACH CODE BELOW INCLUDES 1 PAIR OF HANDLES)		
		34-40mm	40-46mm	46-52mm
	Bright Chrome	CL400D0050	CL400D0060	CL400D0070
	Satin Chrome	CL400D0150	CL400D0160	CL400D0170
	ORB	CL400D0250	CL400D0260	CL400D0270
	Satin Nickel	CL400D0350	CL400D0360	CL400D0370
	Matte Black	CL400D0450	CL400D0460	CL400D0470
	Matte Chrome	CL400D0550	CL400D0560	CL400D0570
	Bright Chrome	CL400D0052	CL400D0062	CL400D0072
	Satin Chrome	CL400D0152	CL400D0162	CL400D0172
	ORB	CL400D0252	CL400D0262	CL400D0272
	Satin Nickel	CL400D0352	CL400D0362	CL400D0372
	Matte Black	CL400D0452	CL400D0462	CL400D0472
	Matte Chrome	CL400D0552	CL400D0562	CL400D0572
	Bright Chrome	CL400D0055	CL400D0065	CL400D0075
	Satin Chrome	CL400D0155	CL400D0165	CL400D0175
	ORB	CL400D0255	CL400D0265	CL400D0275
	Satin Nickel	CL400D0355	CL400D0365	CL400D0375
	Matte Black	CL400D0455	CL400D0465	CL400D0475
	Matte Chrome	CL400D0555	CL400D0565	CL400D0575

© All copyright and other property in this document is reserved by Cavity Sliders Limited. Details and specifications are subject to change without notice. Whilst all care is taken to ensure the accuracy of all information, no responsibility will be accepted for any errors or omissions. Drawings & pictures are not to scale. All dimensions in millimetres. © CAVILOCK and CS Cavity Sliders are Registered Trademarks. CAVILOCK® CL400® (O.D. 2013). New Zealand Patent No. 733386, 628616 60924-1 02.2019