

Justor Spring Hinges by Bellevue



Single Action



Double Action



Light Single Action



Welding Hinges



Retaining Brakes



**14 New Models Including
316 Marine Grade**

Automatically closing a door has never looked so good, been so simple or so cost effective.

About Bellevue and Justor

For nearly 30 years in Australia and New Zealand, the name Bellevue Imports is synonymous with providing products that create visual attraction and differentiation without compromising quality, design or affordability. Bellevue's products have been used all over Australia and New Zealand from small projects through to large (project pricing available). They are designed and manufactured by people from within the design industry, people who truly believe that design and quality is an integral part of creating something special and unique.

Today Bellevue is proud to present the new Justor range of Spring Hinges. Used in a variety of applications, the Justor Spring Hinge is ideal for doors that need to return to a closed or central position without assistance.

Aesthetically pleasing to the eye, Justor's spring hinges have won international design awards and are used world wide. An example of their usage within Australia has been doors leading to pools, WC doors within hospitals and restaurants, front doors for apartments and houses, kitchen doors within restaurants, IT communications room doors, gates, office & perimeter doors just to name a few.

Based in Spain & with over 50 years of experience, Justor is considered a world leader in innovation, design & quality. All Justor products come with a 2-year manufacturer's guarantee. No other spring hinge of this type can compete with Justors strength, durability and longevity.



Justor Factory in Spain

The complete Justor spring hinge range is available Australia and New Zealand wide from a range of resellers. Delivery is typically overnight to most locations. Bellevue welcomes any organisation interested in becoming resellers of the Justor range as well as any other products available from Bellevue Imports. For a complete list of resellers, please look at our web site at www.bellevueimports.com.au or alternatively call Bellevue Imports on 1300 369 395 to discuss your requirements.



Justor by Bellevue
Smart Architectural Products

Product Index

Single action spring hinges (doors that swing in one direction)

PM120 Lift off spring hinge	Pg. 4
SA180 Single action spring hinge New black, white, Zinc & 316 Marine SS	Pg. 6
SA120 Single action spring hinge	Pg. 8
ST150 interleaf single action spring hinge New finishes - black and white	Pg. 10

Double action spring hinges (doors that swing in both direction)

DA 180 Double action spring hinge New black, white, Zinc & 316 Marine SS	Pg. 12
DA 180W & 120W Double action wall mounted spring hinge	Pg. 14
DA 120 Double action spring hinge	Pg. 16

Spring hinges for lightweight (doors that swing in single direction)

MP single action spring hinge for existing doors	Pg. 18
MZ single action Fly Screen spring hinge	Pg. 19
MB single action spring arm closer	Pg. 20


Heavy duty spring hinges (gates and steel frames)

Retaining brake range - Anti Door slammer	Pg. 21
PG Range of welding hinges for doors and gates	Pg. 22
PP push flap welding hinge for doors and gates	Pg. 23


Lift off Spring Hinges PM120 Technical Data

Aluminium


Anatomy of a Lift Off Spring Hinge:



PM120 Adjustment Instructions:




Lift Off Gap:



Dimensional Information:

Model	PM120
A	Ø16
B	120
C	80
D	4
E	Ø5

Measurements Table (in mm)




PM120 Range Quick Facts:

The PM120 is a tangible and cost effective solution for doors that need to automatically close, but also have the added safety function of a lift off hinge for doors that weight upto 30kg.

The PM120 is incredibly versatile and totally adjustable without taking the door down. The closing tension will not impact the door's ability to be lifted off from the jamb. Made in Spain by Justor, the PM120 comes with a 2-year guarantee.


[The PM120, the Smaller smarter choice](#)

Australian Handing / Right




▪ BIPM120R - Anodized Silver

Australian Handing / Left



▪ BIPM120L - Anodized Silver

Number of Hinges Based on Door Weight



Lift Off Spring Hinge PM120 Functional Data

Aluminium

The revolutionary designed and engineered PM120 spring loaded self closing lift off hinge for the commercial and residential markets by Justor of Spain is now here. For the first time, we are now able to combine two important aspects of door functionality, the ability to [automatically close a door](#) and the [ability to lift the same door off its hinges](#) for safety reasons.

The PM120 has been designed to carry and automatically close doors that weigh up to 30Kg that require the functionality of traditional lift off hinges. Guaranteed for 2 years and stocked locally. The PM120 is made out of Aluminium and AISI 304 Stainless Steel components.

Once installed the PM120 has multiple adjustment points to bring the door back quickly or slowly with the added advantage of still being a lift off hinge. Ideally suited for toilet or partition doors, office and bedroom doors just to name a few. The PM120 is ideal for Residential Environments, Restaurants, Hospitals, Commercial Buildings, Apartments, Boats and general projects of all sizes.

Adjusting the closing speed of the door is easy and practical. The Justor PM120 has multiple tension settings for detailed control of door closure speed and adjustments can be made without having to take the door down and without impacting the ability to lift the door off the hinges. Aesthetically pleasing to the eye, cost effective and highly functional, the PM120 is a real and cost effective solution for doors that require automatic closing and still retains the lift off functionality of traditional lift off hinges.

Made to exact European standards in Spain by Justor. The PM120 is a maintenance free solution, no periodic greasing or adjustments required.

The PM120 represents a smarter option when it comes to design and aesthetics.



PM120 Range Quick Facts:

- Spring Resistance + 500,000 cycles
- Two Part Lift Off Hinge
- Resistant to extreme Climatic Conditions (Cold and Humidity)
- 50mm Lift Off Gap
- Maximum resistance to bending
- Up to 30Kg in Door Weight
- Torsion Spring not a Coil Spring
- Variable Closing Strength (speed)
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood or Aluminium Doors
- Slim Profile vs.. Bulky Door Closer
- Quick & Simple Installation
- No Periodical Greasing Required
- Detailed Instructions Included
- Available Finish: Silver
- Manufactured in Spain and comes with a 2 Year Manufacturer's Guarantee

Order Codes:




- BIPM120L - Anodized Silver
- BIPM120R - Anodized Silver
- Australian Handing System Used

Spring Hinge SA180 Technical Data

Aluminium, Zinc, 304 & 316 Marine Grade Stainless Steel

Anatomy of a Single Action Spring Hinge:


SA180 Adjustment Instructions:




Single Action Hinge Size and Dimensions

All measurements in mm

Model	SA180 Alum & ZP	SA180 SS & S3
A	Ø16	Ø18
B	180	180
C	80	80
D	4	3
E	Ø5	Ø5



Number of hinges required per door based on door weight & width



Spring Hinge SA180 Functional Data

Aluminium, Zinc, 304 & 316 Marine Grade Stainless Steel

Now there is no longer a need for unsightly door closers, the SA180 family of Single Action Spring Hinge are designed to automatically close a door with a subtle visual appearance. It is sleek, stylish and simple. Made in Spain by Justor the SA180 is highly functional and totally adjustable, ideal for all doors that weigh up to 92Kg (refer graph).

Simplistically, the spring will act as a door closer and close the door once opened. Made out of Aluminium, Zinc or AISI 304 or 316 Stainless Steel the SA180 Single Action Spring Hinge is ideal for internal or external applications. Once installed the SA180 spring hinge can be adjusted to bring the door back quickly or slowly via multiple tension settings. Each setting provides detailed control of door closure speed. Adjustments can be made without having to take the door down.

Currently the SA180 spring hinge is being used on perimeter doors, pool doors, gates, front doors, large feature doors, office doors & WC doors, just to name a few. The SA180 has been installed in Restaurants, Hospitals, Commercial Buildings, Apartments, Boats, Residential Environments and general projects of all sizes throughout Australia and New Zealand

An added advantage of the SA180 is its appearance; aesthetically pleasing to the eye, it is sleek and has clean lines. Cost effective and highly functional, it is a real and effective alternative to traditional and unsightly door closers and closing solutions. It's guaranteed for 2 years and available in a range of finishes and base materials; the Justor SA180 is hard to overlook.

The SA180 has won international design awards, and is made to exacting European standards in Spain by Justor. The SA180 is a maintenance free solution, no periodic greasing or adjustments required. A smart design. The SA180 represents a smarter option when it comes to design and aesthetics.

SA180 Quick Facts:

- Spring Resistance + 500,000 cycles
- Aluminium or 304 & 316 Stainless Steel
- Resistant to extreme Climatic Conditions (Cold and Humidity)
- Maximum resistance to bending
- Up to 92Kg in Door Weight
- Torsion Spring not a Coil Spring
- Variable Closing Strength (speed)
- Highly Efficient 180° Working Aperture
- For Wood or Aluminium Doors
- Slim Profile vs.. Bulky Door Closer
- Quick & Simple Installation
- No Periodical Greasing Required
- Available Finish: Stainless Steel, Silver, Bronze or Gold (by request)
- Manufactured in Spain and comes with a 2 Year Manufacturer's Guarantee



Anodized Black



Aluminium PC White



Zinc



Anodized Silver

Ideal for welding onto metal jambs & doors



304 & 316 Stainless Steel

316 marine grade ideal for sea air environments

Where SA180 is being used

- Residential Environments
- Apartment Buildings
- Hotels of All Sizes
- Commercial Environments
- Industrial Estates
- Hospitals
- Restaurant Kitchens

Order Codes:

Base Material: Aluminium

- BISA180AS - Anodized Silver
- BISA180BLK - Anodized Black - *new*
- BISA180WHT - Aluminium PC White - *new*
- BISA180NB - Anodized Black (*Non Sprung*) - *new*
- BISA180NW - Aluminium PC White (*Non Sprung*) - *new*
- BISA180AB - Anodized Bronze (by request)
- BISA180AG - Anodized Gold (by request)

Base Material: Zinc

- BISA180ZP - Zinc - *new*

Base Material: Stainless Steel



- BISA180SS - 304 Marine Grade SS
- BISA180S3 - 316 Marine Grade SS - *new*

Spring Hinge SA120 Functional Data

Aluminium and 304 Stainless Steel

Anatomy of a Small Single Action Spring Hinge:


SA120S Adjustment Instructions:



Dimensional Information:



Measurements Table (in mm)

Model	SA120	SA120SS
A	Ø16	Ø17
B	120	120
C	80	80
D	4	2.5
E	Ø5	Ø5



Where SA120 can be used

- Commercial Environments
- Residential Environments
- Apartment Buildings
- Restaurant Kitchens
- Hotels of All Sizes
- Industrial Estates
- Hospitals
- Gates
- Function
- Front Doors
- Office Doors
- WC Entry Doors
- Perimeter Doors
- Doors Leading to Pools



Spring Hinge SA120 Functional Data

Aluminium & 304 Stainless Steel

Now there is an innovative and cost effective automatic door closing solution for small or light weight doors. The new SA120 Small Single Action Spring Hinge is an extension of the enormously popular larger SA180 (formally the SA58). The new SA120 is the same in all respects to the SA180, but smaller. It's been designed to provide the same functionality as the SA180 but on smaller, lighter weight doors.

The SA120 has been designed to carry doors that weigh up to 55Kg (refer graph) and is ideal for internal or external applications; wherever a door needs to return to a closed position without assistance. The SA120 Single Action Spring Hinge is designed to automatically close a door with a subtle visual appearance. It is sleek, stylish and simple. Made in Spain by Justor the SA120 is highly functional and totally adjustable.

Simplistically, the spring will act as a door closer and close the door once opened. Made out of Aluminium or AISI 304 Stainless Steel the SA120 Single Action Spring Hinge is ideal for internal or external applications. Once installed the SA120 spring hinge can be adjusted to bring the door back quickly or slowly.

The Justor SA120 has multiple tension settings for detailed control of door closure speed and adjustments can be made without having to take the door down. Alternatively, by reversing the tension on the SA120, the spring can be set to assist in the opening of a door.

The SA120 spring hinge can be used on perimeter doors, pool doors, gates, front doors, large feature doors, office doors & WC doors, just to name a few. The SA120 is ideal for Restaurants, Hospitals, Commercial Buildings, Apartments, Boats and Residential houses and general projects of all sizes.

An added advantage of the SA120 is its appearance; aesthetically pleasing to the eye, it is sleek and has clean lines. Cost effective and highly functional, it is a real and effective alternative to traditional and unsightly door closers and other closing solutions. It's guaranteed for 2 years and available in a range of finishes; the Justor SA120 is hard to overlook. Made to exacting European standards in Spain by Justor. The SA120 is a maintenance free solution, no periodic greasing or adjustments required.

The SA120 represents a smarter option when it comes to design and aesthetics.



SA120 Range Quick Facts:

- Spring Resistance + 500,000 cycles
- Automatically Closes Door
- Resistant to extreme Climatic Conditions (Cold and Humidity)
- Maximum resistance to bending
- Up to 55Kg in Door Weight
- Torsion Spring not a Coil Spring
- Variable Closing Strength (speed)
- Highly Efficient 180° Working Aperture

- Solid and Stylish Design
- For Wood or Aluminium Doors
- Slim Profile vs.. Bulky Door Closer
- Quick & Simple Installation
- No Periodical Greasing Required
- Detailed Instructions Included
- Manufactured in Spain with a 2 Year Manufacturer's Guarantee

Order Codes:

- BISA120AS - Anodized Silver
- BISA120NB - Anodized Black (*Non Sprung*) - new
- BISA120NW - Aluminium PC White (*Non Sprung*) - new
- BISA120AB - Anodized Bronze (by Request)
- BISA120SS - 304 Grade SS

Spring Hinge ST150 Functional Data

Quick Fix Interleaf 304 Aluminium & Stainless Steel


Ideal as an alternative to a traditional door closer for commercial and domestic aluminium framed swing door.

Commitment:


Justor by Bellevue, for over 10 years a joint commitment to providing unique, high quality, practical products to the Australian and New Zealand building market.

Installation of the ST150.

Designed for self-latching doors that fit the following profile: aluminium framed doors and jambs, steel jambs, doors where there is little clearance between the door and the jamb.




Easy 2 step installation process. Step 1, insert allen key into head and turn to set tension reinsert pin. Step 2, screw or rivet hinge to door and door jamb. Easy. You're done.




Handing:

The ST150 is a non handed hinge, allowing for a non complicated 2 step installation process. Just turn the hinge upside down for opposite handing.

Number of hinges required per door



Adjustment of the ST150.



Multiple adjustment points for increasing or decreasing the spring's tension. Simple function, pull pin, turn head with allen key and replace pin. No need to remove door

Spring Hinge ST150 Functional Data

Quick Fix Interleaf 304 Aluminium & Stainless Steel

Automatically closing an *Aluminium* framed door is now so much easier.

Now there is no longer a need for unsightly door closers for **aluminium framed** self-latching doors or doors with steel jambs, the ST150 Single Action Quick Fix Spring Hinge is designed to automatically close doors with a subtle visual appearance. Its sleek, stylish and simple design makes it ideal for all environments. Made in Spain by Justor, the ST150 is highly functional and totally adjustable, ideal for all doors that weigh up to 60Kg.

The Justor ST150 has been specifically designed as a quick fix hinge for **aluminium framed** self-latching doors including doors with **steel or aluminium jambs**. Also practical for doors where there is very little gap between the door and the jamb as the hinge is only **2.5mm** thick.

Simplistically, the spring acts as a door closer would, by bringing the door back to the closed position once opened. Made out of AISI 304 Stainless Steel or aluminium the ST150 Single Action Spring Hinge is ideal for internal or external applications in any environment. Once installed the ST150 spring hinge can be adjusted to bring the door back quickly or slowly.

The Justor ST150 has multiple tension settings for detailed control of door closure speed and adjustments can be made without having to take the door down, alternatively, by reversing the tension on the ST150, the spring can be set to assist in the opening of the door.

An added advantage of the ST150 is its appearance; aesthetically pleasing to the eye, it is sleek with clean lines. Cost effective and highly functional, it is a real and effective alternative to traditional and unsightly door closers and other closing solutions. It's guaranteed for 2 years and is stocked locally in large quantities by Bellevue in Melbourne; the Justor ST150 is hard to overlook.



ST150 Quick Facts:

The ST150 is designed to bring an open door that can weigh up to 60Kg back to a closed position without assistance and without the need for a traditional door closer. Aesthetically pleasing to the eye, highly cost effective and totally adjustable, it is an ideal alternative to traditional and unsightly door closers.

Due to its smart construction, it is a small diameter hinge that does not require periodic greasing. It comes with a 2 year guarantee and is made in Spain by Justor.

The ST150 ... the smart choice

Order Codes:

- BIST150 - Stainless Steel
- BIST150WHT - Aluminium PC White - *new*
- BIST150BLK - Anodized Black - *new*


ST150 Quick Facts:

- Spring Resistance + 500,000 cycles
- Aluminium & Stainless Steel AISI 304
- Resistant to extreme Climatic Conditions (Cold and Humidity)
- Maximum resistance to bending
- Up to 60Kg in Door Weight
- Torsion Spring not a Coil Spring
- Variable Closing Strength (speed)
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood or Aluminium Doors
- Slim Profile vs.. Bulky Door Closer
- Quick & Simple Installation
- No Periodic Greasing Required
- Manufactured in Spain and comes with a 2 Year Manufacturer's Guarantee


Spring Hinge DA180 Technical Data

Aluminium, Zinc, 304 & 316 Stainless Steel

Anatomy of a Double Action Spring Hinge:



DA180 Adjustment Instructions:



Dimensional Information:



All measurements in mm

Model	DA180 SS, S3	DA180 ZP	DA180 A	DA180 E	DA180 AA
A	133	133	113	96	157
B	40	40	40	27	48.5
C	53	53	53	42	60
D	Ø18	Ø16	Ø16	Ø16	Ø16
E	180	180	180	180	180
Leaf Thickness					
	3	3	4	4	4
Max Door Thickness					
	40	40	40	30	50

Where DA180 is being used

- Residential Environments
- Industrial Estates
- Apartments Buildings
- Hospitals
- Hotels of All Sizes
- Restaurant Kitchens
- Commercial Environments
- Boats, Cars & Trains

Number of Hinges Required and Position



Spring Hinge DA180 Functional Data

Aluminium, Zinc, 304 & 316 Stainless Steel

No need for unsightly door closers or expensive pivot kits, the DA180 Double Action Spring Hinge is sleek, stylish and simple. Made in Spain by Justor, the DA180 is highly functional and totally adjustable, ideal for all doors that weigh up to 95Kg (refer graph).

Simplistically the function of the DA180 double action spring hinge is to bring a door that swings open in both directions back to the centre position i.e. a kitchen door in a restaurant. Made out of Aluminium, Zinc or Stainless Steel the DA180 Double Action Spring Hinges are ideal for internal or external applications, wherever a dual swing door (a door that swings in both directions such as a pivot door does) needs to return to a centre position without assistance.

Once installed the DA180 spring hinge can be adjusted to bring the door back quickly or slowly in either direction. The DA180 can also be adjusted to bring the door back quickly in one direction and slowly in the other direction. Alternatively, by reversing the tension on the DA180, the spring can be set to bring the door back to the centre position from one direction but assist in opening the door in the other direction. The DA180 has multiple tension settings and adjustments can be made without having to take the door off.

An added advantage of the DA180 is its appearance; aesthetically pleasing to the eye, it is sleek and has clean lines. Cost effective and highly functional, it is a real and effective alternative to traditional and unsightly double action closers and expensive pivot sets. It's guaranteed for 2 years and available in a range of finishes; the Justor DA180 is hard to overlook.



316 marine grade ideal for sea air environments

Ideal for welding onto metal jambs & doors

DA180 Range Quick Facts:

- Spring Resistance + 500,000 cycles
- Resistant to extreme Climatic Conditions (Cold and Humidity)
- Maximum resistance to bending
- Torsion Spring not a Coil Spring
- Up to 95Kg in Door Weight Per Door
- Variable Door Movement Strength
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood, Aluminium or metal Doors
- Ideal for Restaurants and Kitchens
- No Periodical Greasing Required
- 2 Year Manufacturer's Guarantee

Order Codes:

Base Material: Aluminium

- BIDA180AAS - Anodized Silver (max 50mm thick door)
- BIDA180AS - Anodized Silver (max 40mm thick door)
- BIDA180BLK - Anodized Black (max 40mm thick door) - *new*
- BIDA180WHT - Aluminium PC White (max 40mm thick door) - *new*
- BIDA180AB - Anodized Bronze (max 40mm thick door) (by Request)
- BIDA180AG - Anodized Gold (max 40mm thick door) (by Request)
- BIDA180EAS - Anodized Silver (max 30mm thick door)
- BIDA180EAB - Anodized Bronze (max 30mm thick door)

Base Material: Stainless Steel

- BIDA180SS - 304 Marine Grade SS (max 40mm thick door)
- BIDA180S3 - 316 Marine Grade SS (max 40mm thick door) - *new*


Base Material: Zinc

- BIDA180ZP - Zinc (max 40mm thick door) - *new*


Spring Hinge DA120W & DA180W Technical Data

Aluminium Wall Mounted - No Jamb required

Dimensions of the DA120W & DA180W




Adjustment of the DA120 & 180W:




Multiple adjustment points for increasing or decreasing the spring's tension. Simple function, pull pin, turn head with allen key and replace pin. No need to remove door.

DA120W & DA180W Door Thickness & Design:




The DA120 & 180W Justor spring hinge is suitable for doors from 25 to 35mm thick. As indicated in the above drawing, the hinge has a flat back which sits behind the hinges two knuckles allowing it to be fixed to any flat surface.

Number of hinges required per door:



Based on a sliding scale, typical number of hinges per door starts at 2 increasing to 3 based on the graph above. For doors that require 3 hinges, please fit the 1st hinge at top, the 2nd placed 5cm below 1st hinge and the 3rd hinge at bottom.

Installation of the DA120 & 180W:



Easy 2 step installation process. Step 1, cut rebate into door, insert allen key into head of hinge remove pin, turn to release tension, reinsert pin. Step 2, screw hinge to door & wall jamb, re-adjust tension. Easy. You're done.

Spring Hinge DA120W & DA180W Functional Data

Aluminium Wall Mounted - No Jamb required



Unlike traditional double action hinges which require a jamb to mount onto, the new DA120W & 180W does not. Due to its revolutionary design, the new "DA120W & DA180W" Double Action Spring Hinge from Justor of Spain now [mounts directly to a flat surface](#). No need to build out the wall or the jamb to cater for the knuckles of the hinge. Screw straight onto the wall. Simple, clean and easy....

What makes the DA120W & DA180W totally unique is its revolutionary design. Specifically engineered to cater for doors where the traditional jamb for the hinge to be mounted to does not exist. With this fact in mind, the DA120W & 180W opens up endless possibilities to where you can hang a door and how the door and wall can be designed with aesthetics of the environment in mind.

Ideal for internal or external applications, wherever a dual swing door (a door that swings in both directions such as a pivot door does) needs to return to a centre position without assistance. Designed to automatically close doors with a subtle visual appearance. Its sleek, stylish and simple design makes it ideal for all environments. Made in Spain by Justor, the DA120W & DA180W are highly functional and totally adjustable to bring the door back quickly or slowly..

The Justor DA120W & DA180W has multiple tension settings for variable closure speed and adjustments can be made without having to take the door down. Guaranteed for 2 years and stocked locally in large quantities by Bellevue in Melbourne; the Justor DA120W & DA180W is hard to overlook.

Wall Mounted - No Jamb !



DA 120W & 180W Range Quick Facts:

- Spring Resistance + 500,000 cycles
- Automatically Closes Door
- Stainless Steel AISI 304 spring blades
- Resistant to extreme Climatic Conditions (Cold and Humidity)
- Maximum resistance to bending
- Torsion Spring not a Coil Spring
- Variable Closing Strength (speed)
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood or Aluminium Doors
- Slim Profile vs.. Bulky Door Closer
- Quick & Simple Installation
- No Periodic Greasing Required
- Manufactured in Spain and comes with a 2 Year Manufacturer's Guarantee

Order Codes:

- BIDA180WAS - Anodized Silver (Max. 35mm thick door)
- BIDA120WAS - Anodized Silver (Max. 35mm thick door)

Reliability:



The Justor range of single and double action spring hinges have been fully tested and are certified to over 500,000 cycles of use and comes with a 2 year guarantee.

Spring Hinge DA120 Technical Data

Aluminium & 304 Stainless Steel

DA120 Adjustment Instructions:


Anatomy of a Small Double Action Spring Hinge:



Dimensional Information:

All measurements in mm

Model	DA120 SS	DA120 A	DA120 E
A	133	133	101
B	40	40	29.5
C	53	53	42
D	Ø17	Ø16	Ø16
E	120	120	120
Leaf Thickness			
	3	4	4
Max Door Thickness			
	40	40	30




Where DA120 is being used



- Residential Environments
- Apartments Buildings
- Hotels of All Sizes
- Commercial Environments
- Industrial Estates
- Hospitals
- Restaurant Kitchens
- Boats, Cars & Trains

Number of Hinges Required and Position

DA 120 & SS



DA 120E



Spring Hinge DA120 Functional Data

Aluminium & 304 Stainless Steel

No need for unsightly door closers or expensive pivot kits, the DA120 Double Action Spring Hinge is sleek, stylish and simple.

Made in Spain by Justor the DA120 is highly functional and totally adjustable, ideal for all light weight or small doors that weigh up to 55Kg (refer graph). The DA120 double action spring hinge is to bring back to the centre position a door that swings open in both directions i.e. a kitchen door in a restaurant.

The DA120 Double Action Spring Hinge is an extension of the enormously popular larger DA180 Double Action Spring Hinge. It's the same in all respects, just smaller. It's been designed to provide the same functionality as the DA180 but on lighter weight doors. The DA120 is ideal for internal or external applications, wherever a dual swing door needs to return to a centre position without assistance. Once installed the DA120 spring hinge can be adjusted to bring the door back quickly or slowly in either direction.

The DA120 has multiple tension settings and adjustments can be made without having to take the door off.

An added advantage of the DA120 is its appearance; it is sleek and has clean lines. The DA120 represents a smarter option when it comes to design and aesthetics. It also is significantly cheaper than some traditional options. Guaranteed for 2 years and available in a range of finishes; the Justor DA120 is hard to overlook.

The Justor DA120 a smaller smarter choice.



Anodized Silver



Stainless Steel

DA180 Range Quick Facts:

- Spring Resistance + 500,000 cycles
- Resistant to extreme Climatic Conditions (Cold and Humidity)
- Maximum resistance to bending
- Torsion Spring not a Coil Spring
- Up to 55Kg in Door Weight Per Door
- Variable Door Movement Strength
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood, Aluminium or metal Doors
- Ideal for Restaurants and Kitchens
- No Periodical Greasing Required
- 2 Year Manufacturer's Guarantee

Order Codes:

- BIDA120SS - Stainless Steel
- BIDA120AS - Anodized Silver
- BIDA120AB - Anodized Bronze
- BIDA120AG - Anodized Gold (by Request)
- BIDA120EAS - Narrow Anodized Silver
- BIDA120EAB - Narrow Bronze (by Request)

DA120 Range Quick Facts:

No need for unsightly door closers or expensive pivot kits. Due to its smart construction it is a small diameter hinge that is totally adjustable in both directions and comes with a 2 year guarantee. It can carry up to 55Kg in door weight.

[The DA120, the smart choice](#)

Spring Hinge BIMP Functional Data

Aluminium

The Justor Spring hinge MP is ideal for all light weight doors that need to be returned to a closed position without assistance. The spring hinge MP is ideal for light weight doors and existing non sprung doors where hinges currently exist .

Ideal for fly wire doors and all other light weight doors. Designed with retrofitting in mind, installation of the spring hinge MP is quick neat and simple. It conveniently can be installed without having to dismantle the door.

Made by Justor of Spain, its unique design means no maintenance is required or any adjustments over time. Guaranteed for 2 years, the spring hinge MP is a smart choice.

The spring hinge MP provides the flexibility to change an existing non-sprung door into a full time automatic closing door. The BIMP can be applied to most light doors in any location imagined.

Stocked in Bellevue Imports warehouse in large quantities the BIMP is readily available in three anodized finishes. It is aesthetically pleasing to the eye, cost effective and highly functional. It is the only solution to consider for today's light weight door spring hinge needs.

BIMP Quick Facts:

The BIMP does not require periodical greasing and works on a 180° Aperture. Due to its compact construction it is a small diameter hinge. It has 4 adjustment points and because it is made by Justor in Spain, it comes with a 2 year guarantee.

The BIMP, the smart choice for light weight doors

Profile:




BIMPQuick Facts:


- Spring Resistance + 500,000 cycles
- For Light Doors up to 40kg
- Torsion Spring not a Coil Spring
- Variable Closing Strength
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood or Aluminium Doors
- Slim Stylish Profile
- Quick & Simple Installation
- No Periodical Greasing Required
- Detailed Instructions Included
- Available in Silver or Bronze
- 2 Year Guarantee

Anatomy of a Hinge: Single Action Spring Hinge MP - Technical Data

Adjustment Instructions:



Installation






Install the spring hinge in the centre of the door between the two normal hinges.

Dimensional Information:

Measurements table (in mm)

Model	MP
A	∅16
B	180
C	80



Order Codes:

- BIMPS - Anodized Silver
- BIMPB - Anodized Bronze (by Request)
- BIMBL - Anodized Black (by Request)

Spring Hinge BIMZ Functional Data

Aluminium



The new Justor MZ spring hinge for fly screen type doors at or around 5Kg is now here. Ideal for all light weight doors including fly screens that need to be returned to a closed position without assistance. The Spring hinge MZ is ideal for timber or aluminium doors.

Installation of the spring hinge MZ is quick, neat and simple with built-in multiple adjustments for multiple tension settings allowing the door to come back quickly or slowly. No need for the unsightly door closer.

Available in Silver, Black or White, the new MZ spring hinge is ideal to use as it will not lose its tension due to the torsion spring internally.

Made by Justor of Spain, its unique design means no maintenance is required or any adjustments over time. Guaranteed for 2 years, the spring hinge MZ is a smart choice.

Stocked in Bellevue Imports warehouse in large quantities the BIMZ is readily available in three anodized finishes. It is aesthetically pleasing to the eye, cost effective and highly functional. It is the only solution to consider for today's lightweight door spring hinge needs.

BIMPQuick Facts:

- Spring Resistance + 500,000 cycles
- For Light Doors up to 5kg
- Torsion Spring not a Coil Spring
- Variable Closing Strength
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood or Aluminium Doors
- Slim Stylish Profile
- Quick & Simple Installation
- No Periodical Greasing Required
- Detailed Instructions Included
- 2 Year Guarantee




Single Action Spring Hinge MZ - Technical Data

BIMZ Quick Facts:

The BIMZ does not require periodical greasing and works on a 180° Aperture. Due to its compact construction it is a small diameter hinge. It has 2 adjustment points and because it is made by Justor in Spain, it comes with a 2 year guarantee.

The BIMZ, the smart choice for Fly screen doors


Dimensional Information:



Model	MZ
A	Ø16
B	143
C	80
D	4
E	Ø5


Measurements Table (in mm)

Installation



Install the spring hinges at the top and bottom of the door. Used in place of normal hinges.

Adjustment Instructions:



Order Codes:

- BIMZS - Anodized Silver
- BIMZB - Anodized Black (by Request)
- BIMZW - PC White (by Request)

BIMB Spring Arm Closer Functional Data

Aluminium

The BIMB Spring Closer is ideal for all doors that need to be returned to a closed position some or most of the time without assistance. It can be used on new doors or existing non sprung doors where normal hinges currently exist. The main advantage of

the Spring BIMB is that the “spring” mechanism is designed in such a way that it can be used part of or all of the time to automatically close the door.


If the door is in auto close mode, the spring arm is down, when the door is free to swing, the arm is up. Ideal for fly wire doors and all other light weight doors.

Suitable for light doors the Spring BIMB provides the flexibility of being able to turn On or Off the spring function. Lowering the arm to a horizontal position to engage the spring or by raising the arm to a vertical position to disengage the spring, the user has the best of both worlds, a door that will close automatically or stay open.

Stocked in large quantities by Bellevue Imports in Melbourne, the Justor BIMB is readily available in three Anodized finishes. The Justor BIMB has multiple tension settings for detailed control of door closure speed; it is cost effective and highly functional. Applications for this type of functionality are endless.

BIMB Quick Facts:


- Spring Resistance + 500,000 cycles
- Up to 35Kg in Door Weight Per Door
- Torsion Spring not a Coil Spring
- Variable Closing Strength
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Wood or Aluminium Doors
- Slim Profile
- Quick & Simple Installation
- No Periodical Greasing Required
- Detailed Instructions Included
- Available in Silver, Bronze or Gold
- L187 x 213 x 32mm
- 2 Year Guarantee




Spring Arm BIMB Closer Technical Data

Aluminium


Installation Left or Right Hand Doors



Adjustment Instructions:




Dimensional Information: Measurements table (in mm)



Model	MB
A	32
B	187
C	213

Anatomy of a Spring Arm Closer:



Order Codes:

- BIMBS - Silver
- BIMBB - Bronze (by Request)
- BIMBG - Gold (by Request)

Retaining Brake 0G, 1G, 2G & 3G Anti Door Slammer Aluminium & Stainless



The 0G, 1G, 2G and 3G range of retaining brakes are an ideal solution for all door types where the possibility of door slamming exists.

Ideal for low to extreme traffic environments, modest to extreme weather conditions, internal or external doors including light weight to very heavy doors, the 0G, 1G, 2G and 3G range of retaining brake are easily installed on all existing doors without having to dismantle the door.

Stocked by Bellevue Imports in large quantities. The Justor 0G, 1G, 2G and 3G range retaining brake have a speed regulator for detailed control of door closure speed; aesthetically pleasing to the eye, cost effective & highly functional, the only solution to consider for high wind environments.

Made of Stainless Steel, the 0G, 1G, 2G and 3G range are maintenance free, due to their unique construction, they are fully adjustable while the door is still hanging and do not require periodic greasing or recharging. The 0G, 1G, 2G and 3G range of retaining brakes silently engages in the last 10° of door swing closure. Made in Spain By Justor, the 0G, 1G, 2G or 3G retaining brake is a unique solution for an age old problem of high wind and drafts slamming doors.


Quick Facts:

- Eliminates possible door slams
- Hydraulic Mechanism
- Silent mechanism
- For Light or Heavy Doors
- Acts on the last 10° of closure
- Variable Closing Strength
- Detailed Instructions Included
- Available in Silver or Bronze
- Quick & Simple Installation without dismantling of door
- 2 Year Guarantee



Retaining Brake Range Technical Data Aluminium & Stainless

Anatomy of a Retaining Brake:




Dimensional Information:

Mod.	D/Width	D/Kg	A	B	C	D	E	F	G	H
BI0G	75cm	15	183,5	75	108,5	32	27	66,5	49	64
BI1G	90cm	40								
BI2G	110cm	80	200	75	125	36				
BI3G	125cm	115								

0G & 1G for interior and light doors
2G for doors with a lot of use
3G for heavy doors

Measurements Table (in mm)
D = Door



Order Codes:

- BI0GS - Silver
- BI0GB - Bronze (by Request)
- BI1GS - Silver
- BI1GB - Bronze (by Request)
- BI2GS - Silver
- BI2GB - Bronze (by Request)
- BI3GS - Silver
- BI3GB - Bronze (by Request)
- All models available in 304 grade Stainless Steel (by request)

PG Welding Spring Hinge For Welding onto Steel Jambs and Frames



Bellevue is proud to introduce the new Justor spring hinge range of welding hinges designed to automatically close light to heavy steel framed doors and metal gates that weigh up to **120 Kg**. The Justor PG120, PG180, PG240 welding spring hinges are sleek, stylish and simple. Made in Spain by Justor to exacting European standards; these new models are fully adjustable torsion based spring hinges.

Made of Steel, the PG range is maintenance free. Due to its unique construction, it's fully adjustable while the door is still hanging and does not require periodic greasing. The PG range can be used on internal or external steel or metal-framed door jambs, gates and doors whenever a gate needs to close without assistance. Made in Spain By Justor; the PG range of welding hinges represent quality and innovation not normally seen in a product of this type. Optionally, the PG range can be powder coated or painted. Once done, it blends into any environment and surroundings.

Cost effective and highly functional, it is a real and effective alternative to traditional and unsightly door closers and closing solutions. It's guaranteed for 2 years; the Justor PG range is hard to overlook.


PG Range Technical Data For Welding

Anatomy of a Spring Hinge:




Dimensional & Weight Info:


BIPG120



BIPG180



BIPG240



PG Quick Facts:

- Spring Resistance + 500,000 cycles
- Used in place of existing hinges
- Multiple sizes for different weights
- Up to 120Kg in Door Weight
- Torsion Spring not a Coil Spring
- Variable Closing Strength
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Metal doors, gates and frames
- No Periodical Greasing Required
- Ideal for internal or external use
- Slim Profile
- 2 Year Guarantee
- Made in Spain

Order Codes:

- BIPG120 - Gun Metal - 20Kg
- BIPG180 - Gun Metal - 60Kg
- BIPG240 - Gun Metal - 120 Kg

Finish: Gun Metal is a raw finish which can be powder coated or painted to specific colours.


PP Push Flap Welding Spring Hinge For Welding onto Steel Jambs and Frames

Bellevue' is proud to introduce the new Justor PP push flap hinge which is specifically designed for welding to gates and metal door jambs where existing hinges may already be in use. By adding the PP hinge, you will be able to automatically close light to heavy steel framed doors and metal gates that weigh up to 80 Kg. The Justor PP push flap welding spring hinges are sleek, stylish and simple. Made in Spain by Justor to exacting European standards; the PP push flap is fully adjustable without the need to take the door or gate down.

Made of Steel, the PP push flap is maintenance free. The PP push flap can be used on internal or external steel or metal-framed door jambs, and doors whenever a door needs to close without assistance. Made in Spain By Justor; the PP push flap represents quality and innovation not normally seen in a product of this type. Optionally, the PP hinge can be powder coated. Once done, it blends into any environment and surroundings.



Cost effective and highly functional, it is a real and effective alternative to traditional and unsightly door closers and closing solutions. It's guaranteed for 2 years; the Justor PG and PP range is hard to overlook.

Anatomy of a Spring Hinge:



PP Push Flap Technical Data For Welding

Dimensional & Weight Info:



PP Quick Facts:

- Spring Resistance + 500,000 cycles
- Used with existing hinges
- Ideal to retro-fit existing doors & gates
- Up to 80Kg in Door Weight
- Torsion Spring not a Coil Spring
- Variable Closing Strength
- Highly Efficient 180° Working Aperture
- Solid and Stylish Design
- For Metal doors, gates and frames
- No Periodical Greasing Required
- Ideal for internal or external use
- Slim Profile
- 2 Year Guarantee
- Made in Spain

Order Codes:

- BIPP - Gun Metal - Push Flap - 80Kg

Finish: Gun Metal is a raw finish which can be powder coated or painted to specific colours.

