



1351 and 1353 Pull Handles



The Legge range of push and pull plates are ideally suited to heavy duty applications such as hospitals, schools and high usage public facilities. The products are available in a wide variety of sizes and handle options to suit the majority of installation requirements.

Features

- SUS304 Grade stainless steel
- Size options suit most installation requirements
- Standard and offset pull handle options



Warranties	
Mechanical	10 years

Specification guide

Series	Finish	Model	Rose
D shape pull handle..... 1351 Offset pull handle.....1353	Antique bronze ABZ Oil rubbed bronze ORB Polished stainless steel . PSS Satin black chrome SBC Satin stainless steel SSS	See model codes following	No rose - Back to back..... N 38mm diameter R38 50mm diameterR50

- Series**
Select the desired pull handle style e.g. Offset 1353
- Finish**
Select the desired finish e.g. Satin stainless steel 1353SSS
- Model**
Select the desired model e.g. 150CL x ø10 1353SSS-02
- Rose**
Select the desired rose size e.g. 38mm diameter..... 1353SSS-02R38

Finishes



Specifications

Door type	Timber or metal
Material	SUS304 Grade stainless steel

Testing and Compliance



Fire Rating:

Successfully tested on fire door assemblies in accordance with AS1905 Part1: Fire resistance doorsets. Check with fire door manufacturer prior to installation.



Accessibility:

Compliant to the AS 1428:1-2009 Design for Access and Mobility

Caution:

When door closers are installed and adjusted to meet reduced opening force requirements, there may be insufficient power to reliably close and latch the door, depending on prevailing operating conditions.

Note:


In areas of high wind pressure and/or air conditioning pressures, the LCN Automatic Door Operators are recommended.

1351 and 1353 pull handles and accessories

1351 Pull handle

For back to back add -N to model


Model	Fixing x diameter	
-01	100CL x ø10	
-02	150CL x ø10	
-03	100CL x ø12	
-04	150CL x ø12	
-05	150CL x ø16	
-06	200CL x ø16	
-07	250CL x ø16	
-08	300CL x ø16	



1353 Pull handle

For back to back add -N to model

Model	Fixing x diameter	
-01	150CL x ø16	
-02	200CL x ø16	
-03	200CL x ø19	
-04	250CL x ø19	
-05	300CL x ø19	
-06	400CL x ø19	



Rose R38

Supplied in pairs

Size: 38mm or 50mm diameter
x 3mm thick

Finishes: Satin stainless steel



Rose R50

Supplied in pairs

Size: 38mm or 50mm diameter
x 3mm thick

Finishes: Satin stainless steel



Pull handle N fixing

Back to back fixing
12mm minimum rod
16mm minimum rod
19mm minimum rod

