


# Windsor

ARCHITECTURAL  
HARDWARE



PRIVACY SET  
in Cocoa Bronze

# LUME

SLIDING DOOR HARDWARE

Windsor designed  
glideLOCK system  
is engineered to  
ensure precise and  
perfect operation.

A new generation  
of sliding door  
hardware from  
Windsor, LUME is  
precision in motion.

# LUME DETAILS

**Ultra-Smooth glideLOCK Action**  
Bearing-guided lock drive makes the snib smooth and effortless to operate.



**Solid Brass Construction**  
**Flush Pulls**  
Heavy-duty, premium quality feel that lasts for years.



**Matching Accessories Across All Components**  
5 stocked finishes, 6 special order finishes.



**Design Details**  
Installer-focused fitment for a professional finish. Smooth internal grip edge on Flush and Edge Pulls. 2mm protrusion across all functions to fit easily in all common cavities.



**Door Thicknesses**  
Privacy and Locking doors from 35–65mm (above 65mm to order).



**Complete Range of Configurations**  
Flush Pulls, Edge Pulls, Passage, Privacy and Key Locking Sets available.



**Designed by Windsor. Engineered in NZ**  
Purposeful design focused on feel, function, and longevity.



**Internal & External Applications**  
Ideal for bathroom, bedroom, wardrobe, living, hallway, and exterior sliding and cavity doors. Compatible with timber, aluminium, and steel doors.



## Edge Pull

Single Edge Pull is placed on the end of a cavity door to enable a simple finger grip for pulling the door out of the cavity when open.

## Flush Pull

Single Flush Pull is typically for a sliding door, commonly used on a wardrobe or internal sliding doors.

## Passage Set

Pull inside and outside. A passage set is designed for non-locking and non-latching cavity or sliding doors.

## Privacy Set

Snib to lock inside, emergency release outside. Commonly used on bathroom sliding and cavity doors.

## Locking Set

Snib inside and outside to latch door, key inside and outside to lock door. Commonly used on external doors, office doors and house to garage doors.

# PASSAGE SET



5690..... Passage Set

- Door thicknesses: 30mm minimum
- 200mm x 41mm Flush Pull
- 85mm x 26mm stand-alone Edge Pull



## FLUSH PULL



5620..... Flush Pull

- 200mm x 41mm Flush Pull



## Finishes:



NZ Lead Times: Stocked Finishes 1-2 Days Special Finishes 14 Days

AU Lead Times: Stocked Finishes 7 Days Special Finishes 21 Days

## EDGE PULL



5610..... Edge Pull

- Door thicknesses: 30mm minimum
- 85mm x 26mm Edge Pull



# PRIVACY SET




- Door thicknesses: 35mm–65mm
- 55mm Backset
- 200mm x 41mm Flush Pull
- Lockcase depth: 68mm
- Integrated Edge Pull or Blank Mortice Faceplate
- Emergency release




**5700** ..... Integrated Privacy Set - Snib/Release (38–65mm door thicknesses)

**5700-35** .... Integrated Privacy Set - Snib/Release (35–37mm door thicknesses)


## Configuration Options




Snib/Release



Snib/Blank



Snib/Snib



Mortice Options

CODE	FLUSH PULLS	DOOR THICKNESS	PRIVACY MORTICE
5700	Snib/Release	38mm–65mm	Integrated Edge Pull Faceplate
5700-35	Snib/Release	35mm–37mm	Integrated Edge Pull Faceplate
5800	Snib/Release	38mm–65mm	Blank Faceplate
5800-35	Snib/Release	35mm–37mm	Blank Faceplate
5710	Snib/Blank	38mm–65mm	Integrated Edge Pull Faceplate
5710-35	Snib/Blank	35mm–37mm	Integrated Edge Pull Faceplate
5810	Snib/Blank	38mm–65mm	Blank Faceplate
5810-35	Snib/Blank	35mm–37mm	Blank Faceplate
5720	Snib/Snib	38mm–65mm	Integrated Edge Pull Faceplate
5720-35	Snib/Snib	35mm–37mm	Integrated Edge Pull Faceplate
5820	Snib/Snib	38mm–65mm	Blank Faceplate
5820-35	Snib/Snib	35mm–37mm	Blank Faceplate

\*\*For bathroom applications, we recommend the Snib/Release

# LOCKING SET






- Door thicknesses: 35mm–58mm (doors 59mm+ to order)
- 55mm Backset
- 250mm x 41mm Flush Pull
- Lockcase depth: 68mm
- Integrated Edge Pull or Blank Mortice Faceplate



5730..... Integrated Locking Set - Key/Key

## Configuration Options



CODE	FLUSH PULLS	EURO MORTICE
5730	Key/Key	Integrated Edge Pull Faceplate
5830	Key/Key	Blank Faceplate
5740	Key/Blank**	Integrated Edge Pull Faceplate
5840	Key/Blank**	Blank Faceplate

## Add Cylinder\*

CODE SUFFIX*	CYLINDER	DOOR THICKNESS
-1	40mm	35mm–37mm
-2	44mm	38mm–42mm
-3	52mm	43mm–50mm
-4	60mm	51mm–58mm

\*When ordering please select Locking Set code, Cylinder length based on your door thickness, then add the finish e.g. 5730-2-BN

\*\*For Key/Blank configuration, please use the same code suffix table above, it will just be supplied with a single key



LOCKING SET  
in Brushed Nickel

P.033483836

[info@interioreffects.co.nz](mailto:info@interioreffects.co.nz)

[www.interioreffects.co.nz](http://www.interioreffects.co.nz)



**Windsor**  
ARCHITECTURAL HARDWARE