


N O V A S A R C H I T E C T U R A L


Novas 6000 Series Multi Function Mortice Locks



Ordering Procedure




Door Handing




Dimensional Details

6100 Vestibule Locks & 6200 Combination Locks









Dimensional Details

6400 Deadlocks



6500 Sliding Door Locks



Function:

- Inside handle always operative for escape
- Automatic deadlatching when door is closed
- Reversible bolt universal handing
- Functions set from rear of lock changeable on site to suit application
- Compliance with Australian building regulations for single action escape doors

Specifications:

Case:Zinc alloy pressure cast.Locking Bar:Zinc with sintered locking pins.Latch Bolt:Sintered stainless steel.Cylinder:Satin chrome brass 6 pin C4

Deadlatch Bolt:Sintered stainless steel.keyway standard.Inner Forend:Hardened steel.Novas Master Keying

Faceplate: Stainless steel. (ref: to Novas SG/MS4 Master Keying).


Strike Plate: Stainless steel - universal. **Door Thickness:** 32mm to 50mm standard.

Backsets: 60mm standard, 89mm and Extended cylinders, spindles & screws

127mm. available upon request for thicker doors.

Spindles:2 split spindles.Finishes:SSS, PSS.Followers:Sintered stainless steel.

Primary Lock-Code 6100



Note: Anti-Lockout function factory preset to OFF. (Refer Diagram 1)






Diagram 1

Vestibule Lock-Code 6105




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Exterior & Exit Lock-Code 6110




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Storeroom Lock-Code 6115




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Single Action Lock-Code 6120



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.


Vestibule Lock-Code 6125



Note: P & Q series door furniture is specially modied to suit the 6000 series lock. These items are made to order.

F01


Classroom Lock-Code 6130



Q01 Q03


Note: P & Q series door furniture is specially modied to suit the 6000 series lock. These items are made to order.

Of ce Lock-Code 6135




Note: P & Q series door furniture is specially modied to suit the 6000 series lock. These items are made to order.

Exterior & Exit Lock-Code 6140




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Exterior & Exit Lock-Code 6145



 $Note: P \ \& \ Q \ series \ door \ furniture \ is \ specially \ modified \ to \ suit \ the \ 6000 \ series \ lock. \ These \ items \ are \ made \ to \ order.$

Exit Latch-Code 6150



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Function:

- Key and/or turn locks or unlocks either/or both handles
- Automatic deadlatching when door is closed
- Reversible bolt universal handing
- Functions set from rear of lock changeable on site to suit application

Specifications:

Deadlatch Bolt:

Backsets:

Case:Zinc alloy pressure cast.Locking Bar:Zinc with sintered locking pins.Latch Bolt:Sintered stainless steel.Cylinder:Satin chrome brass 6 pin C4 keyway

Sintered stainless steel. standard. novas Master Keying

Inner Forend: Hardened steel. (ref: to Novas SG/MS4 Master Keying).

Faceplate: Stainless steel. Door Thickness: 32mm to 50mm standard.

Strike Plate: Stainless steel - universal. Extended cylinders, spindles & screws


60mm standard, 89mm and available upon request for thicker doors.

127mm. Finishes: SSS, PSS.

Spindles: 2 split spindles.


Followers: Sintered stainless steel.

Entry Lock-Code 6205




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Glass Door Lock-Code 6210




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Entry Lock-Code 6215




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Turn Entry Lock-Code 6220



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.


Glass Door Lock Double Cylinder-Code 6225



R01 R02 S01 S02 P01 P02 Q01 Q02 B01or D01 F01


 $Note: P \& Q \ series \ door \ furniture \ is \ specially \ modified \ to \ suit \ the \ 6000 \ series \ lock. \ These \ items \ are \ made \ to \ order.$

Glass Door Lock Single Cylinder-Code 6230




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Privacy Latch-Code 6235




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Exterior Privacy Latch-Code 6240




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Exterior Lock-Code 6245



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Passage Latch-Code 6250



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

6300 Series Night Latches

Function:

Backsets:

- Latchbolt retracted by key and/or turn
- Automatic deadlatching when door is closed
- Reversible bolt universal handing

Specifications:

Case: Zinc alloy pressure cast. Cylinder: Satin chrome brass 6 pin C4 keyway

Latch Bolt: Sintered stainless steel. standard. Novas Master Keying

Deadlatch Bolt: Sintered stainless steel. (ref: to Novas SG/MS4 Master Keying).

Inner Forend: Hardened steel. **Door Thickness:** 32mm to 50mm standard.


Faceplate: Stainless steel. Extended cylinders, spindles & screws

Strike Plate: Stainless steel - universal. available upon request for thicker doors.

60mm standard, 89mm and **Finishes:** SSS, PSS. 127mm.


Locking Bar: Zinc with sintered locking pins.

Night Latch-Code 6305



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.


Communication Latch-Code 6310



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.


6300 Series Night Latches

Cylinder Latch-Code 6315



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Exit Door Latch-Code 6320



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

6400 Series Deadlocks

Function:

• Deadbolt retracted by key and/or turn.

Specifications:

Case: zinc alloy pressure cast. Door Thickness: 32mm to 50mm standard.

Deadlatch Bolt: Sintered stainless steel. Extended cylinders, spindles & screws

Inner Forend: Hardened steel. available upon request for thicker doors.

Faceplate: Stainless steel. **Finishes:** SSS, PSS.

Backsets: 60mm standard, 89mm and

127mm.


Locking Bar: Zinc with sintered locking pins.

Cylinder: Satin chrome brass 6 pin C4 keyway

Standard. Novas Master Keying


(ref: to Novas SG/MS4 Master Keying).

Entry Deadlock-Code 6405



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.


Glass Door Deadlock-Code 6410



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.


6400 Series Deadlocks

Lock-up Shop Deadlock-Code 6415



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Exit Deadlock-Code 6420



Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

6500 Series Sliding Door Locks

Function:

• Sliding Door Bolt Retracted by Key and/or Turn.

Specifications:

Case: Zinc alloy pressure cast. Door Thickness: 32mm to 50mm standard.

Deadlatch Bolt: Sintered stainless steel. Extended cylinders, spindles & screws

Inner Forend: Hardened steel. available upon request for thicker doors.

Faceplate: Stainless steel. Finishes: SSS, PSS.

Backsets: 60mm standard, 89mm and

127mm.


Locking Bar: Zinc with sintered locking pins.


Cylinder: Satin chrome brass 6 pin C4 keyway

standard. Novas Master Keying

(ref: to Novas SG/MS4 Master Keying).


Sliding Door Lock-Code 6505






Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.


Sliding Glass Door Lock-Code 6510






Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Sliding Lock-up Shop Deadlock-Code 6515




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Exit Door Deadlock-Code 6520



 $Note: P \ \& \ Q \ series \ door \ furniture \ is \ specially \ modified \ to \ suit \ the \ 6000 \ series \ lock. \ These \ items \ are \ made \ to \ order.$


Sliding Door Privacy Latch-Code 6525




Note: P & Q series door furniture is specially modified to suit the 6000 series lock. These items are made to order.

Cams, Adaptors and Rebate Kits

Cams and Adaptors



Rebate Kits



Novas 6000 Series Multi Function Mortice Locks

The 6000 Series has been designed specifically to embrace the Australian markets requirements for a mortice lock that is as robust as it is user friendly.

The universal multi-function lock case allows any pre-set function to be quickly changed to suit your specific application, the additional "Anti-Lockout" feature built into the lock case allows conversion literally within seconds.

Independently tested to meet the Australian Standards (D3 – Durability and S2 – Security) the Novas 6000 Series covers all the angles.

The 6000 Series Mortice Locks are manufactured with the highest quality components with each specific lock undergoing stringent Q.A testing prior to release into the market.

Performance Features

- Function: The 6000 series Multi-Function locks allows easy conversion from Vestibule to Combination function. Vestibule (inside handle always operative escape) / Combination (both handles locked or unlocked).
- Anti-Lockout: The 6000 series Multi-Function lock comes with a built in ANTI-LOCKOUT function.
- Universal handing: The stainless steel latch bolt is fully reversible by removing the faceplate and simply rotating the bolt (refer to handing chart).
- Door Thickness: Standard locks will suit 32mm-50mm thick doors. Extended cylinders, spindles and screws available upon request for thicker doors.
- Door Furniture: The 6000 series lock case will accept door furniture with bolt through fixing for 38mm-41mm horizontal and 50.8mm diagonal applications.
- Australian Standards: The 6000 series locks conform to the Australian standards (AS 4145.2-1993) tested independently to meet durability (D3) and physical security (S2) standards.
- SCEC Rating: The Novas 6000 series locks have been successfully tested to comply to the intruder resistant rating.
- Fire Rating: The Novas 6000 series locks have been successfully tested over a 2 hour period on fire door as specified in the Australian/New Zealand standards AS/NZS 1905.1-1997 part 1 fire resistant door sets.
- Backset: 60mm standard, 89mm and 127mm available.

Services

Novas Architectural offers a fully comprehensive (free of charge) specification/door scheduling service to meet your specific project requirements. Door schedules are prepared by our scheduling team who are all design and/or industry trained professionals. Please contact your local Novas Architectural representative for assistance.

Guarantee

Novas Architectural guarantee all their products against defects in workmanship and materials subject to inspection and confirmation of fair wear and tear within the normal working life of the product.

Novas Architectural assumes no liability for:

- 1. Improper installation or failure to follow fitting instructions.
- 2. Product failure due to improper maintenance or unfair wear and tear.
- 3. Indirect or consequential loss or damage.
- 4. Cost of removal and/or replacement.
- 5. Cost of freight and/or travelling expenses.
- 6. Some plated finishes are classified as soft finishes. Deterioration is possible under some climatic conditions and cannot be unconditionally guaranteed.

Consult your local Novas Architectural Representative or Agent for advice on all finishes.

Contact Details

Novas Architectural
Unit 4, 5-7 Becon Court,
Hallam, Victoria 3803.
Phone: 03 9709 3200
Fax: 03 9702 3595
Email: sales@novas.com.au
Web: www.novas.com.au