## Series D-Designer Stainless Rose

#### **Features**


Size:	63mm diameter x 10mm thick
Fixing:	Concealed 38mm-41mm horizontal
	bolt through fixing.
Standard Finishes:	SSS, PSS, NC SSS, NC PSS, NC PB.
Door Thickness:	32-50mm doors.
Material:	Manufactured from grade 304 Stainless
	Steel for ultimate durability.
	NC available on request.
	Lifetime Anti-Tarnish Guarantee
Spindle:	7.6mm and 8.0mm


#### **Ordering Codes**

] 📫 10

63

Series D Rose






#### Finishes


Satin Stainless Steel	SSS
Polished Stainless Steel	PSS
NC Satin Stainless	NC SSS
NC Polished Stainless	NC PSS
NC Polished Brass	NC PB

#### **Door Handing**



Manufactured to suit Australian Mortice Locks and Latches. Order 8mm spindle to suit European locks.

## Ordering Example



θ

Π


Architectural Hardwar

] 🚺 10

50

Series D Escutcheons


# **Series D-Lever Options**







θ

# **Series D-Dimensional Details**







#### Lever 51




#### Lever 52




#### Lever 53




Lever 54







#### Lever 56




#### Lever 57




#### Lever 58




#### Lever 59














#### Lever 62



Lever 63



#### Lever 64






θ


٢

## **Series D-Dimensional Details**


#### Lever 65




#### Lever 66




### Lever 67







Lever 70









#### Lever 72




#### Lever 73




#### Lever 74



Lever 80




# Lever 91




35.5







#### Lever 94







Lever 97



θ